



Things To Remember

- Always use metal tape measure
- Measure all windows, even those that appear to be the same width and height
- Round each measurement to the nearest 1/8" (see diagram below)



Determine if your window qualifies for an INSIDE MOUNT


Inside Mount



Inside mount blinds and shades are mounted inside the window recess/opening. Make sure your window has sufficient unobstructed depth to mount the selected window treatment.

If your criteria does not match the qualifications listed above for **INSIDE MOUNT**, please refer to Outside Mount Guide or contact our customer service department at 1-877-388-0336.


How to Measure



How to Measure for Inside Mounts


- 1) Measure the width inside the window opening at the top, middle and bottom. Take the narrowest of the three width measurements, and round down to the nearest 1/8".
- 2) Measure the height inside the window opening from the top of the window opening to the window sill three times. Measure once on the left, at the center, and on the right and take the longest of the three measurements. If you prefer to keep the blind from resting on the sill deduct a 1/4" from the height. If your window does not have a sill, measure to the point you would like the blind to reach.
- 3) Measure the window on the diagonal. If the two diagonal dimensions differ significantly, it may be necessary to order an outside mount for optimal light control and privacy. See measuring instructions below.
- 4) Do not take any allowances on the height or width. The factory will take all required allowances on an inside mount for mounting and operating clearance.

How to Measure (cont'd)



Vertical Blinds

- 1) Measure the width inside the window opening at the top, and round down to the nearest 1/8" measurement.
- 2) Measure the height inside the window opening from the top of the window opening to the window sill three times. Measure once on the left, at the center, and on the right and take the shortest of the three measurements, and round down to the nearest 1/8" measurement.
- 3) Do not take any allowances on the height or width. The factory will take all required allowances on an inside mount for mounting and operating clearance.



Roller / Solar Shades

- 1) Measure the width inside the window opening at the top, and round down to the nearest 1/8" measurement.
- 2) Measure the height inside the window opening from the top of the window opening to the window sill. If your window does not have a sill, measure to the point you would like the blind to reach.
- 3) Do not take any allowances on the height or width. The factory will take all required allowances on an inside mount.
- 4) Because the factory takes deductions on the fabric width some windows may have visible light gaps visible on the left and right edge. To eliminate light gaps and for increased privacy it may be necessary to order an outside mount. See measuring instructions below.

Helpful Charts

Mounting Depth

Mounting requirements vary by brand. Please contact customer service at 1-877-388-0336 for specific mounting depth requirements.

	Cellular Shades	Vertical Cellular Shades	Wood Blinds	Faux Wood Blinds	Mini Blinds	Roller Shades	Roman Shades	Horizontal Sheer Shadings	Woven Wood Shades	Vertical Blinds	Sheer Vertical Blinds	Panel Track Blinds
Minimum Mounting Depth	1"	1-3/4"	1-1/4"	1-1/4"	3/4"	1-3/4"	3/4"	3/4"	1-1/2"	2-3/8"	2-1/4"	1-3/4"
Flush Mount	2"	3-5/8"	3-1/2"	3-1/2"	1-3/4"	3-1/2"	2-1/8"	3-3/4"	2-1/2"	4"	6-1/2"	3-1/2"

Vertical Stackback

Vertical stack widths vary by brand. The following stack back sizes are provided as a general guideline. Please contact customer service at 1-877-388-0336 for specific stack back sizes. The chart applies to outside mount with one way stack.

Ordered Width	15"	25"	35"	45"	55"	65"	75"	85"	95"
Stack-back	4"	5-1/2"	7-1/8"	8-1/2"	10"	11-1/2"	12-1/2"	14-1/4"	15-1/2"
Ordered Width	105"	115"	125"	135"	145"	155"	165"	175"	185"
Stack-back	17"	18-1/2"	20"	21-1/2"	23"	24-1/2"	25-3/4"	27-1/4"	28-5/8"

Notes for your custom Window Treatments

Product: _____

Color: _____

Mount Type:
Inside / Outside

Width: _____

Height: _____

Options: _____

Product: _____

Color: _____

Mount Type:
Inside / Outside

Width: _____

Height: _____

Options: _____

Product: _____

Color: _____

Mount Type:
Inside / Outside

Width: _____

Height: _____

Options: _____

For uncommon applications, review our specialty guide online at www.blindsaver.com/measure
 For additional information, review installation guides by brand at www.blindsaver.com/install